




Performance curves

The power rating of this engine is the Net power rating tested on a production engine and measured in accordance with SAE J1349. Actual power output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.



Type

- 2 Stroke
- Air Cooled
- Single Cylinder
- Horizontal Shaft

Technical Specifications

▪ Engine Type	Air-cooled, 2-stroke, Single cylinder, Horizontal shaft
▪ Max. power	1.03 kW (1.38 hp) / 7000 rpm
▪ Oil capacity (litres)	
▪ Number of cylinders	1
▪ Displacement	34.4 cm ³
▪ Dimensions (L x W x H) (mm)	177 x 262 x 238
▪ Bore x stroke	37 x 32 mm
▪ Fuel tank capacity (litres)	0.7 litres
▪ Max. torque	1.55 Nm (1.14 ft.lbs) / 5000 rpm
▪ Dry weight	3.2 kg

Features

- Centrifugal clutch installed
- 50:1 fuel mixture
- Kawasaki stratified scavenging system
- Full cover design
- KAR starter
- Polyurethane foam air filter
- Diaphragm carburetor

Options

- HD Clutch
- Shroud colour options
- Engine kill switch
- Felt air cleaner element

